

Cut Feb 24

To ship Feb 26/16
Qty 1 needed

Work Order ID 142040

142040

Page 1

February 23, 2016 4:02:23 PM

Item ID: D3340-7

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Skidtube Protector

Start Date: 2/23/2016 Start Qty: 8.00

8

Cust Item ID:

Required Date: 2/26/2016 Req'd Qty: 8.00

8

Customer:

Reference:

Approvals: Process Plan: SA Date: 20160223

Tooling:

Date:

Run Start *NR1*

QC: Date: SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D3340

Rev B

100

0.00

100

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3340 Dwg Rev: B Prog Rev: B 2-
Deburr if necessary

⑧

2/16/02/24

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

⑧

2/16/02/24

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

⑧

DAS
38
9-89

FEB 25 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐				
Misidentified ☐	☐	Past Due	☐				

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER :							
Misidentified ☐	☐ Past Due								

Work Order ID 142040

February 23, 2016 4:02:23 PM

142040

Page 3

Item ID: D3340-7 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Skidtube Protector
 Start Date: 2/23/2016 Start Qty: 8.00 ***g*** Cust Item ID:
 Required Date: 2/26/2016 Req'd Qty: 8.00 ***g*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC3- Inspect Part Finish	0.00							BAS 38 9-89
160						8			FEB 26 2016
QC	Memo	0.00							
Quality Control									
170	Identify as per dwg & Stock Location: <u>st601</u>	0.00				8	SmB		
170							10/2/26		
Packaging	Memo	0.00							
Packaging									
180	QC21- Final Inspection - Work Order Release	0.00							
180						ML5			FEB 26 2016
QC	Memo	0.00							
Quality Control									

ML5 FEB 26 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____							
Misidentified ☐	☐	Past Due	☐								

Picklist Print

February 23, 2016 4:02:28 PM

Page 1

Work Order ID: 142040

142040

Parent Item: D3340-7

D3340-7

Parent Item Name: Skidtube Protector

Start Date: 2/23/2016

Required Date: 2/26/2016

Start Qty: 8.00

Required Qty: 8.00

Comments: IPP: A 05.11.10 Preliminary issue AP/EC
IPP Rev:B Now on Waterjet 06-09-25 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M1010S20GA		Purchased	No			100	sf	122.6084	0.889	7.486316			

M1010S20GA

1010/1025 SHEET

2/16/02/24

Location

Loc Qty

Loc Code

MAT019

122.6084

m130805


122.6084

6.8



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 	APPROVED 	DRAWING NO. D3340	REV. B SHEET 1 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10
A	05.06.09	NEW ISSUE	
B	05.11.22	ADD DETAIL D, CORRECT FLAT PATTERNS D3340-1/-3/-7/-9/-13/-19/-23	

RELEASED
05.11.28



D3340-1F FLAT PATTERN

D3340-1 FORWARD SKIDTUBE PROTECTOR

NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX

SA 142040
20160223


Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED H	APPROVED H	DRAWING NO. D3340	REV. B SHEET 2 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10

RELEASED
05.11.22



NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX


Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3340	REV. B SHEET 3 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10

RELEASED
05.11.28 *[Signature]*



D3340-5F FLAT PATTERN



D3340-5 FORWARD SKIDTUBE PROTECTOR

NOTES:


- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR
CSA G40-21, 38W/44W/50W/60W/70W SERIES
COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 	APPROVED 	DRAWING NO. D3340	REV. B SHEET 4 OF 11
DATE 05.11.22	TITLE SKIDTUBE PROTECTOR		SCALE 1:10



NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX

RELEASED
05.11.28


Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 	APPROVED 	DRAWING NO. D3340	REV. B SHEET 5 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10

RELEASED
05.11.28



D3340-11F FLAT PATTERN



D3340-11 CENTER SKIDTUBE PROTECTOR

NOTES:

- 1) MATERIAL: AISI 1010-1025 OR
ASTM A36/A366/A1008 OR
CSA G40-21, 38W/44W/50W/60W/70W SERIES
COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6)
PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX


Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3340	REV. B SHEET 6 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10

RELEASED
05.11.22



D3340-13F FLAT PATTERN



D3340-13 AFT SKIDTUBE PROTECTOR

NOTES:


- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3340	REV. B SHEET 7 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10



D3340-15F FLAT PATTERN

RELEASED
05.11.28 *[Signature]*


D3340-15 CENTER SKIDTUBE PROTECTOR



D3340-17F FLAT PATTERN

NOTES:




- 1) MATERIAL: AISI 1010-1025 OR
ASTM A36/A366/A1008 OR
CSA G40-21, 38W/44W/50W/60W/70W
SERIES COLD ROLLED STEEL 19 GAUGE
(0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX
(REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018
UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX



D3340-17 AFT SKIDTUBE PROTECTOR

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W
SERIES COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6) PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX


RELEASED
05.11.28

Copyright © 2005 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3340	REV. B SHEET 9 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10



D3340-23F FLAT PATTERN



RELEASED
05.11.28 *[Signature]*

D3340-23 AFT FLOAT SKIDTUBE PROTECTOR

NOTES:


- 1) MATERIAL: AISI 1010-1025 OR
ASTM A36/A366/A1008 OR
CSA G40-21, 38W/44W/50W/60W/70W SERIES
COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6)
PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3340	REV. B SHEET 10 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:10



D3340-25F FLAT PATTERN

RELEASED
05.11.28



D3340-25 FORWARD SKIDTUBE PROTECTOR

NOTES:





- 1) MATERIAL: AISI 1010-1025 OR
ASTM A36/A366/A1008 OR
CSA G40-21, 38W/44W/50W/60W/70W SERIES
COLD ROLLED STEEL 19 GAUGE (0.040 THICK)
- 2) PART IS SYMETRICAL ABOUT CENTER LINE
- 3) FINISH: POWDER COAT GREY SANDTEX (REF. 4.3.5.6)
PER DART QSI 005 4.3
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS
OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP CORNERS 0.063 MAX

Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN MB	DRAWN BY MB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3340	REV. B SHEET 11 OF 11
DATE 05.11.22		TITLE SKIDTUBE PROTECTOR	SCALE 1:1



Copyright © 2005 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD		Work Order:	142 020
Description: Fwd Skidtube Protector		Part Number:	D3340-7
Inspection Dwg: D3340 Rev: B		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.250 x 0.300	+/-0.010	0.251 x 0.301	/		V: 0.02	
0.50	+/-0.030	0.501	/		Tap	
0.250	+/-0.010	0.250	/			
1.625	+/-0.010	1.625	/			
2.815	+/-0.010	2.814	/			
2.315	+/-0.010	2.314	/			
1.815	+/-0.010	1.820	/			
22.780	+/-0.010	22.780	/			
26.280	+/-0.010	26.280	/			
34.655	+/-0.010	34.655	/			
38.155	+/-0.010	38.155	/			
40.355	+/-0.010	40.355	/			
43.855	+/-0.010	43.855	/			
45.730	+/-0.010	45.730	/			

Measured by:	<i>pc</i>	Audited by:	<i>38</i> 9-89	Prototype Approval:	N/A
Date:	6/02/24	Date:	FEB 25 2016	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	07.11.23	New Issue	KJ/EC/DD	<i>[Signature]</i>